

# RCNS2



## RCNS2

**Pneumatic sealer for  
steel strapping**

### **Reliable Performance**

Single reverse notch joint  
ensures load stability

### **Application Flexibility**

Ideal for a wide range of  
industries, including lumber,  
metals and other products

### **Simplifies Operation**

Lightweight, ergonomic  
design streamlines use for  
difficult applications

### **Minimizes Downtime**

Durable construction  
provides long-lasting  
operation



# RCNS2-34 RCNS2-114

Pneumatic Sealers for Steel Strapping

## Easy to operate

The lightweight RCNS2-34 and RCNS2-114 are easy to handle and are designed with ergonomics in mind.

## Simple to maintain

They contain minimal wear parts that are easy to access and change.

## Versatile

Ideal for applications throughout the metals industry. Its sealing head can easily be pivoted to seal inside tight spaces.

## Durable

All metal and alloy parts provide long-lasting, low-maintenance operation.

---

## Specifications

**Strapping:** For use with 3/4"-1-1/4" (19 mm- 32 mm) Magnus® steel strapping in gauges from .025" - .031" (0.64 mm-0.79 mm)

**Seals:** RCNS2-34: 34 HOC and 34 SHOC  
RCNS2-114: 114 OF, 114 TO and 114 P

**Joint type:** Single reverse notch

**Weight:** 6.4 lbs. (2.7 kg)

### Part numbers

RCNS2-34: 424200

RCNS2-114: 424125

©2015 SIGNODE SPD 1465 3-12-15



# RCNS2



## RCNS2

Pneumatic sealer for steel strapping

### Reliable Performance

Single reverse notch joint ensures load stability

### Application Flexibility

Ideal for a wide range of industries, including lumber, metals and other products

### Simplifies Operation

Lightweight, ergonomic design streamlines use for difficult applications

### Minimizes Downtime

Durable construction provides long-lasting operation

 **SIGNODE**<sup>®</sup>



**HARI OM ENTERPRISES**

H.O. : G-15, Geetanjali Tower, Madrampura,  
Ajmer Road, Jaipur, Raj. 302019  
Mob : 09414051490

E : hariomenterprises@yahoo.co.in  
sales@hariomenterprises.org

W : www.hariomenterprises.org

B.O. : G-23, Neemrana Central, Neemrana, Alwar, Raj. 301705  
E : info@hariomenterprises.org ; Mob : 09930792807